









**GDP**  
**GRATE DRAINAGE PRODUCTS**



**Suppliers of Quality Products**

[WWW.GRATEDRAINAGE.COM.AU](http://WWW.GRATEDRAINAGE.COM.AU)



# INDEX

SUMP GRATES (DROP IN) .....	3
SUMP GRATES (GRATE & FRAME DROP IN) .....	4
SUMP GRATES (GRATE & FRAME CAST IN) .....	5
TRENCH GRATES & FRAMES .....	6-7
CIVIL PRODUCTS .....	8-9
AQUADRAIN® (POLYMER DRAINAGE CHANNELS AND GRATES) .....	10-11
POLYMER PIT BASES, RISERS & GRATES .....	12
STAINLESS STEEL (WEDGE WIRE GRATES & OTHER) .....	13-14



# Sump Grates

PH: 02 4023 7777


Fax: 02 4017 0017

sales@gratedrainage.com.au  
 estimating@gratedrainage.com.au  
 www.gratedrainage.com.au

Supplying Australia Wide

### Galvanised Transverse Drop in Sump Grates


#### Class A



- SG5155152545 - 515 x 515 x 25/45mm
- SG54542550 - 540 x 540 x 25/50mm
- SG6656652545 - 665 x 665 x 25/45mm
- SG69692550 - 690 x 690 x 25/50mm
- SG6659652545 - 665 x 965 x 25/45mm
- SG69992550 - 690 x 990 x 25/50mm
- SG9659652545 - 965 X 965 X 25/45
- SG99992550 - 990 x 990 x 25/50mm

### Galvanised Perforated (Heelguard) Drop in Sump Grates

#### Class A




- SGP5155152545 - 515 x 515 x 25/45mm
- SGP5405402550 - 540 x 540 x 25/50mm
- SGP6656652545 - 665 x 665 x 25/45mm
- SGP6906902550 - 690 x 690 x 25/50mm
- SGP6659652545 - 665 x 965 x 25/45mm
- SGP9659653245 - 965 x 965 x 32/45mm
- SGP99993250 - 990 x 990 x 32/50mm

Other sizes available, see next page for hinged drop in style.

### Galvanised Transverse Drop in Sump Grates


#### Class B



- SG51551545 - 515 x 515 x 45mm
- SG545450 - 540 X 540 X 50mm
- SG66566545 - 665 x 665 x 45mm
- SG696950 - 690 x 690 x 50mm
- SG66596545 - 665 x 965 x 45mm
- SG699950 - 690x 990 x 50mm
- SG96596545 - 965 x 965 x 45mm
- SG999950 - 990 X 990 X 50mm
- SG12912950 - 1290 x 1290 x 50mm

### Galvanised Perforated (Heelguard) Drop in Sump Grates

#### Class B




Custom manufactured heelguard grates class rated available

Other sizes available, see next page for hinged drop in style.

### Galvanised Transverse Drop in Sump Grates


#### Class D



- SG51551545D - 515 x 515 x 45mm
- SG66566545D - 665 x 665 x 45mm
- SG66596545D - 665 x 965 x 45mm
- SG699945D - 690 x 990 x 45mm
- SG96596545D - 965 x 965 x 45mm
- SG12612645D - 1265 x 1265 x 45mm
- SG12912950D - 1290 x 1290 x 50mm
- Note - Twist bars at 50mm centres

### Galvanised Perforated (Heelguard) Drop in Sump Grates

#### Class D



Custom manufactured heelguard grates class rated available

Specials made on request

# Sump Grate & Frames

PH: 02 4023 7777

Fax: 02 4017 0017

sales@gratedrainage.com.au  
 estimating@gratedrainage.com.au  
 www.gratedrainage.com.au

Supplying Australia Wide

## Grate & Frame Accessories

### Sold Separately


- Lockdown Devices
  - Barri - Bolts
  - Universal lockdown brackets
  - Lockdown devices specific to certain styles of grating
  - J Bolts + Brackets

Lifting handle device



## Galvanised Transverse Drop in Grate & Frame

### Class A & B



- SGH545450 - 540 x 540 x 50mm (B)
- SGH66A - 690 x 690 x 25/50mm (A)
- SGH66B - 690 x 690 x 50mm (B)
- SGH69A - 690 x 990 x 50mm (A)
- SGH69B - 690 x 990 x 50mm (B)
- SGH99A - 990 x 990 x 25/50mm (A)
- SGH99B - 990 x 990 x 50mm (B)
- SGH12A - 1290 x 1290 x 50 (A)




## Galvanised Perforated (Heelguard) Drop in Grate & Frame

### Class A & B

- SGHP44A - 540 x 540 x 25/50mm (A)
- SGHP66A - 690 x 690 x 25/50mm (A)
- SGHP66B - 690 x 690 x 50mm (B)
- SGHP69A - 690 x 990 x 25/50mm (A)
- SGHP69B - 690 x 990 x 50mm (B)
- SGHP99A - 990 x 990 x 25/50mm (A)
- SGHP99B - 990 x 990 x 50mm (B)

## Galvanised Transverse Drop in Grate & Frame

### Class D



- SGH44D - 540 x 540 x 50mm
- SGH66D - 690 x 690 x 50mm
- SGH69D - 690 x 990 x 50mm
- SGH99D - 990 x 990 x 50mm



## Galvanised Perforated (Heelguard) Drop in Grate & Frame

### Class D

- SGHP44D - 540 x 540 x 50mm
- SGHP66D - 690 x 690 x 50mm
- SGHP69D - 690 x 990 x 50mm
- SGHP99D - 990 x 990 x 50mm

Specials made on request



# Sump Grate & Frames

PH: 02 4023 7777

Fax: 02 4017 0017

sales@gratedrainage.com.au  
 estimating@gratedrainage.com.au  
 www.gratedrainage.com.au

Supplying Australia Wide

### Galvanised Transverse Cast In Grate & Frames



#### Class A

- SGH44A25 - 450 x 450mm C/O
- SGH66A25 - 600 x 600mm C/O
- SGH69A25 - 600 x 900mm C/O
- SGH99A32 - 900 x 900mm C/O


### Galvanised Perforated (Heelguard) Cast In Grate & Frames



#### Class A

- SGHP44A25 - 450 x 450mm C/O
- SGHP66A25 - 600 x 600mm C/O
- SGHP69A25 - 600 x 900mm C/O
- SGHP99A32 - 900 x 900mm C/O

### Galvanised Transverse Cast In Grate & Frames



#### Class B

- SGH44B45 - 450 x 450mm C/O
- SGH66B55 - 600 x 600mm C/O
- SGH69B55 - 600 x 900mm C/O
- SGH99B65 - 900 x 900mm C/O
- SGH1212B - 1200 x 1200mm C/O


### Galvanised Perforated (Heelguard) Cast In Grate & Frames



#### Class B

- SGHP44B45 - 450 x 450mm C/O
- SGHP66B55 - 600 x 600mm C/O
- SGHP69B55 - 600 x 900mm C/O
- SGHP99B65 - 900 x 900mm C/O

### Galvanised Transverse Cast In Grate & Frames



#### Class D

- SGH44D65 - 450 x 450mm C/O
- SGH66D75 - 600 x 600mm C/O
- SGH69D75 - 600 x 900mm C/O
- SGH99D90 - 900 x 900mm C/O
- SGH1212D - 1200 x 1200mm C/O

### Galvanised Perforated (Heelguard) Cast In Grate & Frames



#### Class D

- SGHP44D65 - 450 x 450mm C/O
- SGHP66D75 - 600 x 600mm C/O
- SGHP69D75 - 600 x 900mm C/O
- SGHP99D90 - 900 x 900mm C/O

Specials made on request

# Trench Grates

PH: 02 4023 7777  
Fax: 02 4017 0017

sales@gratedrainage.com.au  
estimating@gratedrainage.com.au  
www.gratedrainage.com.au

Supplying Australia Wide



### Wedgewire Heelguard Galvanised


#### Grate & Frame Sold Separately

Adding style to our premium heelguard range wedgewire is designed with a 6mm Tri bar x 5mm gap, Load rated. Perfect alternative to any stainless look required



- TGW101525 - 1000 x 150 x 25mm
- TGW101835 - 1000 x 180 x 35mm
- TGW102340 - 1000 x 230 x 40mm
- TGW103150 - 1000 x 310 x 50mm

(6mm Bars x 5mm Gap)




### Longitudinal Heelguard Galvanised

#### Grate & Frame Sold Separately

- TGSB101520 - 1000 x 150 x 20mm
- TGSB101525 - 1000 x 150 x 25mm
- TGSB101835 - 1000 x 180 x 35mm
- TGSB102325 - 1000 x 230 x 25mm
- TGSB102340 - 1000 x 230 x 40mm
- TGSB103025 - 1000 x 300 x 25mm
- TGSB103150 - 1000 x 310 x 50mm
- TGSB103840 - 1000 x 380 x 40mm

10mm Bars x 8mm Gap



### Perforated Heelguard Galvanised

#### Grate & Frame Sold Separately

- TGP101525 - 1000 x 150 x 25mm
- TGP101835 - 1000 x 180 x 35mm
- TGP102340 - 1000 x 230 x 40mm
- TGP103150 - 1000 x 310 x 50mm
- TGP104065 - 1000 x 400 x 65mm

(80 x 8mm Slots running Longitudinal)




### Transverse Bar Galvanised

#### Grate & Frame Sold Separately

- TG101520 - 1000 x 150 x 20mm
- TG101525 - 1000 x 150 x 25mm
- TG101825 - 1000 x 180 x 25mm
- TG101832 - 1000 x 180 x 32mm
- TG102325 - 1000 x 230 x 25mm
- TG102332 - 1000 x 230 x 32mm
- TG102340 - 1000 x 230 x 40mm
- TG103025 - 1000 x 300 x 25mm
- TG103032 - 1000 x 300 x 32mm
- TG103150 - 1000 x 310 x 50mm
- TG103840 - 1000 x 380 x 40mm
- TG104065 - 1000 x 400 x 65mm

Note 50mm twist bars used



### Anti Slip Coating

GDP Offer an Anti-Slip Coating that can be added to any grate for extra slip resistance. This unique Anti-Slip Coating is specially designed to provide superior wear resistance and ensures a longer lasting resistance coating. It dries to a low profile texture finish that has excellent non slip characteristics under normal conditions.



Anti Slip Coating

Specials made on request



# Trench Frames


PH: 02 4023 7777

Fax: 02 4017 0017

sales@gratedrainage.com.au  
 estimating@gratedrainage.com.au  
 www.gratedrainage.com.au

Supplying Australia Wide

## Trench Grate Frames Galvanised



Machine forged grating

- TF201025 - 2000 x 105 x 25mm
- TF201520 - 2000 x 155 x 20mm
- TF201525 - 2000 x 155 x 25mm
- TF201835 - 2000 x 185 x 35mm
- TF202325 - 2000 x 235 x 25mm
- TF202335 - 2000 x 235 x 35mm
- TF202340 - 2000 x 235 x 40mm
- TF203025 - 2000 x 305 x 25mm
- TF203035 - 2000 x 305 x 35mm
- TF203150 - 2000 x 315 x 50mm
- TF203840 - 2000 x 385 x 40mm
- TF204065 - 2000 x 405 x 65mm



(All frame measurements are internal)

## Stainless Steel Trench Grate & Frames



Trench grates and frames are commonly used in high pedestrian areas in all areas of construction from your average building entrance to pool areas or chemical plants. They are also very common in shopping centre areas such as car park pedestrian entrances, toilet areas, food preparation and food courts.



Anti Slip Dimple

Specials made on request

# Civil Products

PH: 02 4023 7777

Fax: 02 4017 0017

sales@gratedrainage.com.au  
 estimating@gratedrainage.com.au  
 www.gratedrainage.com.au

Supplying Australia Wide



## Civil Grates & Frames

### Vee Grates

- SGV6665 - 600 x 600mm C/O Vee grates and frames
- SGV9565 - 900 x 500mm C/O Vee grates and frames
- SGV9665 - 900 x 600mm C/O Vee grates and frames
- SGV9965 - 900 x 900mm C/O Vee grates and frames

SGV9975 - 900 x 900mm C/O Vee grates and frames with 3 % deflection

Special sizes & classes made on request



## Civil Grates & Frames

### Gully Grates & Frames (Landcoms)


- GGRHS55 - 1035 x 450 x 55mm - Single RHS
- GGDRHS55 - 1035 x 450 x 55mm - Double RHS
- GG65 - 1035 x 450 x 65mm - Single RHS
- GGRHS65D - 1035 x 450 x class D loading - 210Kn

Single RHS Style

Please contact our office if you have a civil grate inquiry





Double RHS Style



## Ductile Iron (Solid Top)

### Square & Circular (Class B & D)

- CDS44B - 450 x 450mm C/O (Class B)
- CDS44D - 450 x 450mm C/O (Class D)
- CDS66B - 600 x 600mm C/O (Class B)
- CDS66D - 600 x 600mm C/O (Class D)
- CDS69B - 600 x 900mm C/O (Class B)
- CDS69D - 600 x 900mm C/O (Class D)
- CDS99B - 900 x 900mm C/O (Class B)
- CDS99D - 900 x 900mm C/O (Class D)
- CDS12B - 1200 x 1200mm C/O (Class B)
- CDS12D - 1200 x 1200mm C/O (Class D)



## Ductile Iron (Infill)

### Square & Circular (Class B & D)

- CDI44B - 450 x 450mm C/O (Class B)
- CDI44D - 450 x 450mm C/O (Class D)
- CDI66B - 600 x 600mm C/O (Class B)
- CDI66D - 600 x 600mm C/O (Class D)
- CDI69B - 600 x 900mm C/O (Class B)
- CDI69D - 600 x 900mm C/O (Class D)
- CDI99B - 900 x 900mm C/O (Class B)
- CDI99D - 900 x 900mm C/O (Class D)

Special orders such as GPT grates and frames, headwall trash racks, sediment baskets, surcharge grates and many other special sized grates made to order, please forward us your plans for pricing.

Multipart covers available on request





# Civil Products

PH: 02 4023 7777  
Fax: 02 4017 0017

sales@gratedrainage.com.au  
estimating@gratedrainage.com.au  
www.gratedrainage.com.au

Supplying Australia Wide



### Surcharge Grates

**Galvanised** (Bolt down/Cast in)

- SGS44 - 450 x 450mm C/O Surcharge Grates on legs
- SGS66 - 600 x 600mm C/O Surcharge Grates on legs
- SGS69 - 600 x 900mm C/O Surcharge Grates on legs
- SGS99 - 900 x 900mm C/O Surcharge Grates on legs
- SGS1212 - 1200 x 1200mm C/O Surcharge Grates on legs

### RHS

**Galvanised**



A range of different sizes customised to your lengths required on site with a quick turn around

**Please contact Grate Drainage office for pricing**



### Trash Screen

**Galvanised**

- TSS - 360 x 400 x 270mm Small trash screen
- TSL - 600 x 510 x 280mm Large trash screen



### Weep Hole

**Galvanised**

WH - 350mm long x 150 wide x 50 deep



All grates listed are tested to the Australian Standard of AS3996-2006

This standard is not to be mistaken for just AS3996 or AS3996-1992 as the testing in the latest standards is much different



### Step Irons

**Galvanised / Plastic**

SIG200 - Galvanised Step Irons at 200mm centres



SIP225 - Plastic Step Irons at 225mm centres

Special orders such as GPT grates and frames, headwall trash racks, sediment baskets, surcharge grates and many other special sized grates made to order, please forward us your plans for pricing.

# Aquadrain®

PH: 02 4023 7777

Fax: 02 4017 0017

sales@gratedrainage.com.au  
 estimating@gratedrainage.com.au  
 www.gratedrainage.com.au

Supplying Australia Wide

## Longitudinal



## Perforated



## Galvanised



- PCC130TG** - 1000 x 130 x 100mm C/O with Transverse Grates
- PCC130TGSB** - 1000 x 130 x 100mm C/O with Heelguard Longitudinal
- PCC130TGP** - 1000 x 130 x 100mm C/O with Heelguard Perforated
- PCC130TGW** - 1000 x 130 x 100mm C/O with Heelguard Wedgewire

- PCC200TG** - 1000 x 200 x 200mm C/O with Transverse Grates
- PCC200TGSB** - 1000 x 200 x 200mm C/O with Heelguard Longitudinal
- PCC200TGP** - 1000 x 200 x 200mm C/O with Heelguard Perforated
- PCC200TGW** - 1000 x 200 x 200mm C/O with Heelguard Wedgewire


- PCC160TG** - 1000 x 160 x 155mm C/O with Transverse Grates
- PCC160TGSB** - 1000 x 160 x 155mm C/O with Heelguard Longitudinal
- PCC160TGP** - 1000 x 160 x 155mm C/O with Heelguard Perforated
- PCC160TGW** - 1000 x 160 x 155mm C/O with Heelguard Wedgewire

- PCC270TG** - 1000 x 270 x 240mm C/O with Transverse Grates
- PCC270TGSB** - 1000 x 270 x 240mm C/O with Heelguard Longitudinal
- PCC270TGP** - 1000 x 270 x 240mm C/O with Heelguard Perforated
- PCC270TGW** - 1000 x 270 x 240mm C/O with Heelguard Wedgewire

## Wedgewire



## Transverse






# Aquadrain®

PH: 02 4023 7777


Fax: 02 4017 0017

sales@gratedrainage.com.au  
 estimating@gratedrainage.com.au  
 www.gratedrainage.com.au

Supplying Australia Wide



## Ductile Iron



### Grate & Channel

- PCCD10057** - 1000 x 100 x 57mm C/O channel with Class D Ductile iron self supporting grates
- PCCDG10057** - 1000 x 100 x 57mm C/O channel with Class D Galvanised self supporting grates
- PCCD100110** - 1000 x 100 x 110mm C/O channel with Class D Ductile iron self supporting grates
- PCCDG100110** - 1000 x 100 x 110mm C/O channel with Class D Galvanised self supporting grates

- PCCD150180** - 1000 x 150 x 180mm C/O channel with Class D/G Ductile iron Transverse grates
- PCCD150180HG** - 1000 x 150 x 180mm C/O channel with Class D/E Ductile iron Longitudinal heelguard grates

- PCCD200240** - 1000 x 200 x 240mm C/O channel with Class D/G Ductile iron Transverse grates
- PCCD200240HG** - 1000 x 200 x 240mm C/O channel with Class D/E Ductile iron Longitudinal heelguard grates

- PCCD300310** - 1000 x 300 x 310mm C/O channel with Class D/G Ductile iron Transverse grates
- PCCD300310HG** - 1000 x 300 x 310mm C/O channel with Class D/E Ductile iron Longitudinal heelguard grates

### Inline Sumps

- PCCDILS150** - 150mm C/O Polymer concrete inline sump complete with Ductile Iron Transverse/Heelguard Grate
- PCCDILS200** - 200mm C/O Polymer concrete inline sump complete with Ductile Iron Transverse/Heelguard Grate
- PCCDILS300** - 300mm C/O Polymer concrete inline sump complete with Ductile Iron Transverse/Heelguard Grate



Solid top trench cover



Ductile iron grated inline sump

## Polymer Concrete Pits + Grates & Rises

PH: 02 4023 7777

Fax: 02 4017 0017

sales@gratedrainage.com.au  
 estimating@gratedrainage.com.au  
 www.gratedrainage.com.au

Supplying Australia Wide

### Polymer Concrete Pit & Grate Transverse





- PCP334TGC - 300 x 300 x 400 Pit/Grate
- PCP446TGC - 450 x 450 x 600 Pit/Grate
- PCP666TGC - 600 x 600 x 600 Pit/Grate
- PCP996TGC - 900 x 900 x 600 Pit/Grate

### Polymer Concrete Pit & Grate Perforated




- PCP334PGC - 300 x 300 x 400 Pit/Grate
- PCP446PGC - 450 x 450 x 600 Pit/Grate
- PCP666PGC - 600 x 600 x 600 Pit/Grate
- PCP996PGC - 900 x 900 x 600 Pit/Grate

### Polymer Concrete Riser



- PCPR333 - 300 x 300 x 300
- PCPR443 - 450 x 450 x 300
- PCPR663 - 600 x 600 x 300
- PCPR993 - 900 x 900 x 300






# Stainless Steel Products

PH: 02 4023 7777

Fax: 02 4017 0017

sales@gratedrainage.com.au  
 estimating@gratedrainage.com.au  
 www.gratedrainage.com.au

Supplying Australia Wide



3mm Wire x 5mm Gap

## Stainless Steel Wedge Wire

Also available in -  
 5mm wire at 5mm gaps  
 3mm wire at 3mm gaps

These styles of grates and frames are manufactured to be installed into many areas, for example:

- Mall areas that have high pedestrian traffic
- Courtyards
- Smokers areas
- Drainage around pools / Shower areas
- Landscaped garden areas



5mm Wire x 3mm Gap




Custom projects we have done include:

- Staircases in luxury units / Houses
- Platform walkways
- Tree surrounds
- Floating floors on adjustable feet
- Bridge expansion covers / Drainage points
- Revolving doorways in hotels
- Hung onto walls as a feature



## Grates & Sumps

Stainless steel sumps and grates can be supplied with strainer baskets and secondary strainers when used in areas of food preparation.



Here are just a few examples:

- Swimming pool areas (domestic and commercial)
- Outdoor smokers areas
- Fish markets
- Shopping mall areas



Care should be taken when pricing and ordering stainless steel products to ensure that the correct grades and treatments are being supplied for the correct applications

# Stainless Steel Products

PH: 02 4023 7777

Fax: 02 4017 0017

sales@gratedrainage.com.au  
 estimating@gratedrainage.com.au  
 www.gratedrainage.com.au

Supplying Australia Wide

## Floor Drains



### Stainless Steel wedge wire

#### Grates & Troughs


### Stainless steel bathroom style grates

## Wedge wire Grate & Trough



Stainless steel bathroom grates and troughs are made to order with many different special options available.

## Tile Insert Troughs



- Custom widths, lengths and depths
- Custom wire width and apertures
- Electro polishing option
- Custom spigot / outlet sizes
- Fixed strainer baskets, etc
- Trash baskets all made to order due to various sizes required.

As shown above there are many different options for custom stainless grate and trough units. Please contact our sales team for details on pricing to your specifications.

Grades available are 304 and 316 with options of your stainless to be treated for high corrosive environments.

## Tile Insert Drains



## Strainer Baskets



### Grates & Troughs

Food preparation style grates and troughs are normally supplied with strainer baskets and fixed secondary strainers. These types of grates come as shown above with E/HD style square bar grates or with wedge wire H/D stainless grates.


This can vary depending on the type of shopping supermarket chain you are installing them into or the type of food preparation area that they are being fitted into due to loadings that may be running over them.

A fish market is a good example of most times requiring E/HD style due to a forklift area.

## Food Preparation Grates & Troughs



Care should be taken when pricing and ordering stainless steel products to ensure that the correct grades and treatments are being supplied for the correct applications



[sales@gratedrainage.com.au](mailto:sales@gratedrainage.com.au)  
[estimating@gratedrainage.com.au](mailto:estimating@gratedrainage.com.au)

PH: 02 4023 7777

FAX: 02 4017 0017

### Sales Contacts

Mobile - 0403 516 004 - Adam

Mobile - 0413 358 876 - Mathew